**Prach K., Vítovcová K., Klaudisová A., Lepší A. & Prach J. (2026) Vegetation succession in abandoned fields in the Bohemian Karst: repeated sampling over nearly half a century. – Preslia 98: 265–280.**

**Supplementary Table S1.** List of the most abundant species recorded in the field.

| Species | Mean coverage (%) | | | |
|---|---|---|---|---|
| | 1975 | 2009 | 2019 | Natural vegetation |
| *Festuca rupicola* | 26.37 | 5.52 | 2.42 | 0.03 |
| *Arrhenatherum elatius* | 10.56 | 2.27 | 1.04 | - |
| *Fragaria viridis* | 7.41 | 3.00 | 1.41 | 0.01 |
| *Crataegus* species | 5.11 | 19.36 | 19.25 | 0.78 |
| *Sanguisorba minor* | 4.74 | 0.09 | 0.03 | - |
| *Achillea millefolium* agg. | 4.59 | 0.12 | 0.01 | - |
| *Securigera varia* | 4.22 | 0.83 | 0.16 | 0.02 |
| *Brachypodium pinnatum* | 3.66 | 5.34 | 2.68 | 2.50 |
| *Galium album* | 2.57 | 0.24 | 0.02 | - |
| *Calamagrostis epigejos* | 2.49 | - | - | - |
| *Leontodon hispidus* | 2.40 | - | - | - |
| *Carduus acanthoides* | 2.22 | - | - | - |
| *Galium verum* | 2.15 | 0.64 | 0.25 | - |
| *Rosa canina* agg. | 2.02 | 2.81 | 2.01 | 0.08 |
| *Salvia pratensis* | 1.57 | 0.27 | - | 0.03 |
| *Poa angustifolia* | 1.56 | 2.49 | 1.15 | 0.03 |
| *Taraxacum* sect. *Ruderalia* | 1.49 | 0.12 | 0.02 | 0.01 |
| *Hypericum perforatum* | 1.32 | 0.11 | 0.03 | 0.01 |
| *Pimpinella saxifraga* | 1.32 | - | - | - |
| *Lotus corniculatus* | 1.30 | 0.13 | - | - |
| *Glechoma hederacea* | 1.29 | 0.46 | 0.15 | - |
| *Vicia tetrasperma* | 1.29 | - | 0.01 | - |
| *Elymus repens* | 1.27 | - | 0.27 | - |
| *Plantago lanceolata* | 1.19 | 0.02 | - | - |
| *Thymus pulegioides* | 1.13 | 0.10 | 0.05 | 0.01 |
| *Galium aparine* | 1.13 | 0.22 | 1.11 | 0.11 |

| | | | | |
|---|---|---|---|---|
| *Vicia hirsuta* | 1.09 | 0.05 | - | - |
| *Potentilla verna* agg. | 1.08 | - | - | - |
| *Festuca rubra* | 0.51 | 2.52 | - | 0.39 |
| *Quercus robur* | 0.45 | 4.18 | 3.51 | 5.45 |
| *Viola collina* | 0.27 | 1.71 | 1.56 | 0.01 |
| *Bromus erectus* | 0.18 | 2.56 | 1.37 | - |
| *Cornus sanguinea* | 0.08 | 8.95 | 6.82 | 1.49 |
| *Acer campestre* | 0.06 | 10.44 | 13.43 | 1.76 |
| *Carpinus betulus* | 0.05 | 2.53 | 2.58 | 6.56 |
| *Geum urbanum* | 0.01 | 2.16 | 0.72 | 0.04 |
| *Cornus mas* | - | 2.10 | 3.88 | 7.25 |
| *Poa nemoralis* | - | 1.83 | 0.57 | 3.85 |
| *Carex muricata* agg. | - | 1.16 | 0.51 | 0.02 |
| *Ligustrum vulgare* | - | 2.97 | 5.53 | 1.20 |
| *Impatiens parviflora* | - | 3.55 | 0.07 | 1.40 |
| *Alliaria petiolata* | - | 0.35 | 3.53 | 0.37 |
| *Chaerophyllum temulum* | - | 2.05 | 0.58 | - |
| *Geranium robertianum* | - | 0.86 | 1.79 | - |
| *Galium odoratum* | - | 1.68 | 0.01 | 1.38 |
| *Pyrus communis* agg. | - | 1.27 | 0.23 | 0.01 |
| *Poa pratensis* | - | 1.15 | - | 0.39 |